Prattley
ANIMAL MANAGEMENT SYSTEMS

ANIMAL MANAGEMENT SYSTEMS

SHEEP / CATTLE / CALVES / DEER / ALPACA



Prattley Industries Ltd are world leaders in light weight automated animal management systems, using cutting edge technology

Prattley's prime aim is to produce quality animal handling equipment that helps you attain maximum efficiency.

The alloy used in production is bought in soft form and heat treated to give high tensile strength, while remaining light weight. This allows the Prattley systems to be easily set up and operated by one user.

Whether it is a relocatable stock yard, a cattle crush, or an automated drafting system, Prattley has the answer for your requirements. This equipment can be taken to any part of the farm, even the roughest terrain, for on the spot stock management solutions

Prattley are committed to working with farmers to obtain maximum accuracy, speed and labour cost savings while managing stock. As well as forming close associations with several leading agricultural companies to develop innovative solutions for the farmer and provide a seamless animal management system.

The Prattley brand has become synonymous with the demanding sheep farming business in New Zealand.



NOTE: Specifications, parts and model designs may chanage at anytime due to product developments.



ORDERING

Freephone: 0800 45 00 00 (NZ Only)

Phone: +64 3 615 9545

Fax: +64 3 615 9546

Email: prattley@prattley.co.nz

Website: www.prattley.co.nz

Prattley Industries Ltd
2B King Street, Temuka, 7920, New Zealand
P O Box 109, Temuka, 7948, New Zealand

CONTENTS

SHEEP

Mobile Alloy Sheep Yards 4
- 8’ Intermediate Mobile Yard
- 10’ Standard Mobile Yard
- 10’ Super Mobile Yard
- 14’ Mobile Yard
- 16’ Mobile Yard
- 3 Point Linkage Sheep Yard

Alloy Gates and Yard Components 8
- Alloy Gates
- Sheep Yard Components
- Curved Panels

Handling Drench Race 10
- Single Lane Races
- Double Lane Races
- Filled panels
- Handling Race Components

Sheep Weigh Equipment 12
- 3-Way Manual Weigh Crate
- 3-Way Slide Gate AutoDraft
- 3-Way Swing Gate AutoDraft
- 5-Way Swing Gate AutoDraft
- 2-Way Electric Auto Draft
- 3-Way Electric Auto Draft

Sheep Loading Ramps 15
- Mobile Sheep Loading Ramps
- Portable Sheep Loading Ramps

Sheep Handler and Foot Treatment 16
- Standard Sheep Handler
- Relocatable Foot Treatment Bath
- Mobile Foot Treatment Bath

Sheep Conveyors 17
- Sheep Conveyor 4.2m Trailer
- Sheep Conveyor 4.2 and 5.2 meters

Pregnancy Scan Crate 18
- Pregnancy Scan Crate

Sheep Small Farm Systems 19
- Small Farm Handling Equipment

CATTLE

Mobile Alloy Cattle Yards 20
- Small Farm Cattle Yards
- Cattle Yard Components

Cattle Managers 22
- V Squeeze
- Vet gates
- Split gates
- 3-way draft handle
- Full side release gates

Cattle Headbail 22
- Scissor Headbail
- Safeway Headbail

Cattle Weigh Equipment 23
- Permanent Cattle AutoDrafter with Diverter Gates
- Weighing Crate
- Weighing Platform

Cattle Loading Ramps 24
- Permanent Loading Ramps
- Mobile Loading Ramps

CALVES

Calf Equipment 25
- Calf Weigh Crate - no drafting
- Calf Weigh Crate - 2-Way Drafting
- Calf Weigh Crate - 3-Way Drafting

DEER

Weigh Crate AutoDrafter 26

ALPACA

Alpaca Gates 27


- Mobile handling systems are ideal for farms with multiple locations or those where remote handling is needed.
- Prattleys mobile sheep yards can be easily transported, assembled and operated by one person.
- Yards are versatile and can be taken anywhere on the farm for on-the-spot drenching, crutching, mouthing, tagging, docking and fly strike and any general animal treatment.
- Mobile units allow the operator to utilise the direction of sunlight and wind to ensure a natural stock flow through the yard.
- Give practical results such as faster animal flow, saved time and travel, reduced fuel and labour costs and reduce stress on the animals.

KEY FEATURES OF PRATTLEY MOBILE SHEEP YARDS

- Race frame fully hot dip galvanised for durability and long life
- Durable easy to clean uniboard sides
- Staples help prevent gates from getting caught in the wind.
- Wheels provide excellent towing ability and ground clearance.

NOTE: Sheep numbers stated are based on average New Zealand sheep with light wool.

Example of 10’ Mobile Super Yard layout



8’ Intermediate Mobile Yard

FEATURES:

- **S00800** - Mobile Unit
- **S20500** - 7’ x 36” alloy gates x 16
- Can be towed by ATV on farm
- Motor bike wheels for suspension
- Complete yard system, that is light weight and easy to use
- Excellent for small flocks and sole operation
- Strong and affordable
- Handling race panels fit inside race



10’ Standard Mobile Yard

FEATURES:

S01000 - Mobile Unit with Drop-in Gate, Drafting Gate, Winch, Drawbar, Gate Support Arms, Straps, Wheels and Toolbox

S20500 - 7’ x 36” alloy gate x 15 as standard

S20000 - 3’6” x 36” alloy gate x 2

S23700 - L post x 3

- Standard 13” wheels
- Fully removable drawbar, winch and wheel arms
- Yard holding capacity approximately 200 ewes with existing fence

OPTIONS:

- Single lane, two-section handling race
- .900 or 1.000m high gates available
- Yard can hold up to 24 gates



10’ Super Mobile Yard

FEATURES:

- **S01100** - Mobile Unit with Drop-in Gate, Drafting Gate, Winch, Drawbar, Gate Support Arms, Straps, Wheels and Toolbox
- **S20200** - 5’ x 36” alloy gate x 40
- **S22200** - diamond gate x 1
- **S23700** - L post x 6
- Standard 13” wheels
- Excellent towing ability
- Fully removable drawbar, winch and wheel arms
- Yard holding capacity approximately 450 ewes with existing fence

OPTIONS:

- Single lane, three-section handling race
- .900 or 1.000m high gates available




14’ Mobile Yard

FEATURES:

- **S01400** - Mobile Unit with Drop-in Gate, Drafting Gate, Winch, Drawbar, Gate Support Arms, Straps, Wheels and Toolbox
- **S20500** - 7’ x 36” alloy gate x 52
- **S22200** - diamond gate x 1
- **S23700** - L post x 10
- Standard 13” wheels
- Suitable for large contractors and stations
- Fully removable drawbar, winch and wheel arms
- Yard holding capacity approximately 1200 ewes with existing fence

OPTIONS:

- Double lane, three-section handling race
- .900 or 1.000m high gates available



MOBILE ALLOY SHEEP YARDS

16’ Mobile Yard

FEATURES:

- **S01600** - Mobile Unit with Drop-in Gate, Drafting Gate, Jack, Drawbar, Gate Support Arms, Straps, Wheels and Toolbox
- **S20500** - 7’ x 36” alloy gate x 60
- **S22200** - diamond gate x 1
- **S23700** - L post x 12
- Standard 14” wheels
- Hydraulic lift jack operation
- Suitable for large contractors and stations
- Fully removable drawbar, winch and wheel arms
- Yard holding capacity approximately 1500 ewes with existing fence

OPTIONS:

- Double lane, three-section handling race
- .900 or 1.000m high gates available



3 Point Linkage Sheep Yard

FEATURES:


- **S00700** - 7’ drafting race
- **S07100** - tractor unit
- **S20500** - 7’ x 36” gates x 10
- **S20000** - 3’6” x 36” gates x 2
- **S23700** - L post x 2
- Handling and drench race components available additionally to suit
- For use with tractors
- Easy to use
- The standard yard can hold 120 ewes with lambs when utilising an existing structure allowing 2 or 3 way drafting



Alloy Gates c/w 1 Pin

- Lightweight alloy construction
- Sold individually to allow for custom yard sizes
- Ideal for shows
- Can hook on to floats/transporters
- Dependable and durable
- Easy to store
- Available in .900 or 1m High (36” or 39”)

S20000 *- 3’6”’ x 36” Alloy Gate*
S20200 *- 5’ x 36” Alloy Gate*
S20400 *- 6’ x 36” Alloy Gate*
S20500 *- 7’ x 36” Alloy Gate - Std size*
S20700 *- 7’ x 48” Alloy Gate - Alpaca*
S20800 *- 10’ x 36” Alloy Gate*



Gates

S22200 *- Diamond Gate complete with Post*






S22750 *- Anti Backing Gate c/w U Post 15”*
S22700 *- Anti Backing Gate c/w U Post 18”*



S22300 *- Drop in Gate 15”*
S22400 *- Drop in Gate 18”*



S22600 *- Guillotine Gate 18” c/w rope*



S24400 *- U Post Galv 15”*
S24500 *- U Post Galv 18”*



S23700 *- L Post c/w two short pins*

Couplings



S08100
Multi Way c/w pin



S08200
2-Way

Pins



F21203
Short Pin 335mm



F21202
Long Pin 670mm

Bak Stop



S18000
Bak Stop

Curved Panels c/w 2 Pins

A set of Curved Panels creates a 90 degree curve in Yard setups and Handling Races.

S25000 *- 3’6” Filled Panel Curved (to create a 18” race)*
S25200 *- 4’ Filled Panel Curved (to create a 15” race) for the inner curve*
S25100 *- 6’ Filled Panel Curved (for the outer edge)*



HANDLING DRENCH RACE

Single and Double Lane Race

For Drenching, Mouthing, Dagging, Ear Tagging, Selecting, Foot Treatment, etc.
Suitable for all handling operations.



Single Lane Handling Race


FEATURES:

- Lightweight, combining the strength of aluminium and durable UV stabilised uniboard
- One person can assemble race and drench sheep quickly and easily
- Versatile combinations of single or double lane races, two or three sections long
- Large or small mobs handled with equal ease
- Easy to assemble and transport, fits inside the Prattley Yard
- Width 33” (0.85m). Width can be reduced by pivoting one side
- Side release gates available to draft sheep out
- Available in 33”, 36” and 39” high panels


Double Lane Handling Race




Layout Options for Handling Races




Two section, double lane handling race.




Three section, double lane handling race.



Race can be zig zagged to improve sheep flow.




Side release gates can be altered to act as drafting gates.
eg for drafting out dry ewes at docking time.




Two section, single lane (basic) handling race.




Three section single, lane handling race.



Race can be narrowed for less width.



Side release gates available for left hand and right hand.
Left hand shown.



Economy drafting race.
(Two panels, two 18’ U spreaders and a draft gate).

HANDLING DRENCH RACE

Filled Panels c/w two pins

Lightweight, combining the strength of aluminium and durable uniboard
For Drenching, Mouthing, Dagging, Ear Tagging, Selecting, Foot Treatment, etc. - all handling operations

S25400 *- 4' x 36" Filled Panel*
S25400C *- 4' x 36" Filled Panel (with slot) with coupling*
S25600 *- 8' x 33" Filled Panel (Standard)*
S25600C *- 8' x 33" Filled Panel with coupling*
S25700 *- 8' x 36" Filled Panel*
S25800 *- 8' x 39" Filled Panel*



Filled Panel c/w Release Gate and two pins

- 8' x 36" Filled Panel with Release Gate

OPTIONS:
S26300L *- (Left) hand operation*
S26300R *- (Right) hand operation*



Left Hand Option

Spreaders



S23100 *- Spreader Intermediate 33" 'W'*



S23000 *- Spreader Intermediate 33" 'U'*
S22900 *- Spreader Intermediate 44" 'U'*

Back Gate



S28000 *- Post Back 33" W c/w two gates and 2 pins*



S27900 *- Post Back 33" U c/w Gate and 2 pins*
S27800 *- Post Back 44" U c/w gate and 2 pins*

3-Way Manual Weigh Crate - Universal

The Prattley 3-Way Manual Weigh Crate is manufactured with lightweight aluminium for optimum strength

FEATURES:

- Enables up to 3-way drafting and weight recording
- Practical design keeps operator out of sheep's vision
- One person can easily setup and shift
- One hand left free to monitor stock
- Sliding gates move easily and quietly to maximise sheep flow
- Simple no-tool adjustment from biggest ram to smallest lamb
- Non corrosive, lightweight aluminium alloy (44kg)
- Fits most loadbar weigh systems
- Easy to reach controls
- Easy access to stock in crate

- Can be altered to be used as left or right handed.

OPTIONS

S03400R *- 3-Way Manual Sheep Weigh Crate - Right hand*
S03400L *- 3-Way Manual Sheep Weigh Crate - Left hand*
S03460 *- Isolating Frame with T Bracket - Universal (sold separately)*




Universal 3-Way Manual Weigh Crate with Isolating Frame - (Right Hand)

* Tru-test Loadbars and Indicator not included.

Accessories



S04320
Wheel Kit



S04321
Ramp

For wheeling unit on to Trailer Deck

3-Way Slide Gate AutoDraft

The **Prattley Auto Draft** is a powerful tool allowing a single operator to control weighing and drafting. The Prattley Auto Drafter coordinates with an external Indicator/recorder and loadbars to produce a seamless package.

FEATURES:

- Quiet pneumatic operation
- Auto weigh approximately 600 sheep per hour
- Conventional drafting with remote
- EID compatible
- Drafting by weight and weight gain
- Drafting on EID tag database
- Drafting by sight (remote manual drafting)
- Selective weighing/drafting
- Selective bypassing of weighing cycle
- Weigh-then-HOLD to allow inspection before drafting
- Remote override of indicators draft range

OPTIONS

S03500L *- 3-Way Slide Gate AutoDraft - Left hand*
S03500R *- 3-Way Slide Gate AutoDraft - Right hand*



Right hand 3-Way Slide Gate AutoDraft with Isolating Frame

3-Way and 5-Way Swing Gate Auto Draft

The **Prattley Swing Gate AutoDraft** is a powerful tool allowing a single operator to control weighing and drafting. The Prattley Swing Gate AutoDrafter coordinates with an external Indicator/recorder and loadbars to produce a seamless package

The pneumatic operated 3 and 5 way Swing Gate Auto Drafts have rear gates with vertical rollers which allow the gates to roll around sheep as they close and allow the following sheep to pull back without getting caught. This design eliminates the need to have left or right hand operation.

FEATURES:

- Quiet pneumatic operation promotes good stock flow
- Auto weigh approx. 600 sheep per hour
- Conventional drafting with remote
- EID compatible
- Drafting by weight
- Drafting by weight gain
- Drafting on EID tag database
- Drafting by sight (remote manual drafting)
- Selective weighing/drafting
- Selective bypassing of weighing cycle
- Weigh-then-HOLD to allow inspection before drafting
- Remote override of indicators draft range
- Versatile design that works in multiple yards

OPTIONS

- Stationary or mobile available



S04150 *- 3-Way Swing Gate AutoDraft - Stationary*



S04100 *- 3-Way Swing Gate AutoDraft - Mobile*



S04200 *- 5-Way Swing Gate AutoDraft - Mobile*

S04250 *- 5-Way Swing Gate Autodraft - Stationary*

2-Way and 3-Way Electric Auto Draft

The **Prattley 2- Way and 3- Way Electric Auto Drafter** is operated by electric motors powered by a 12volt battery, and will operate on a fully charged battery for a full day.
The design eliminates the need to have left or right handed crates.
The rear gates have vertical rollers which allow the gates to roll around the sheep as they close or allow the following sheep to pull back without getting caught.



DRAFTING OPTIONS

Full Auto Drafting Mode

- Indicator is programmed for 2-Way or 3-Way drafting.
- Sheep enter weigh crateback gates automatically shut upon weight on platform of drafter
- Indicator will select which gate to open once sheep has entered crate.
- Back gate opens automatically again for next sheep.
- While in this mode you can override drafter with remote.

Auto Drafting By Remote

- Indicator is programmed for 2-Way or 3-Way drafting.
- Open back gate with remote
- shut back gate with remote once sheep has entered crate
- Indicator will select which gate to open once sheep has entered crate
- Use remote to open back gate again
- While in this mode you can override drafter with remote.

S04000 *- 2-Way Electric Autodrafter*
S04300 *- 3-Way Electric Autodrafter*



S04000 *- 2-Way Electric Autodrafter*



S04300
3-Way Electric Autodrafter




S04300 *- 3-Way Electric Autodrafter*
(with optional mobility unit)

NZ Pat App 591048

Accessories



S04320
Wheel Kit



S04321
Ramp

For wheeling unit on to Trailer Deck

Mobile Sheep Loading Ramps



FEATURES:

- Hot dip galvanized frame
- Timber floor and walkway
- Durable ply sides
- Retractable drawbar
- 745mm outside
- Left hand catwalk
- Mobile units come with Safety Ratchet

OPTIONS

- Right hand catwalk or catwalk on both sides available
- Single and double lanes available

5.8m Sheep Ramp

S01900M	*5.8m Double Lane (mobile) on 8" wheels*
S01900P	*5.8m Double Lane (permanent)*
S01960	*5.8m Single Lane (mobile) on 8" wheels*

**13" wheels available*

6.8m Sheep Ramp

S01800M	*6.8m Double Lane (mobile) on 13" wheels*
S01800P	*6.8m Double Lane (permanent)*
S01860	*6.8m Single Lane (mobile) on 13" wheels*

Portable Sheep Loading Ramps



FEATURES:

- Excellent for trailers, small farms and general use
- Lightweight
- Single lane, tapered - 510mm wide at top

OPTIONS

- Also available in double width (745mm wide)
- Available in 2.3m, 3.0m and 3.6m

2.3m Sheep Ramp

S02010	*2.3m (8') Single Lane*
S02010D	*2.3m (8') Double Lane*

3.0m Sheep Ramp

S02030	*3.0m (10') Single Lane*
S02030D	*3.0m (10') Double Lane*

3.6m Sheep Ramp

S02050	*3.6m (12') Single Lane*
S02050D	*3.6m (12') Double Lane*

SHEEP HANDLER / FOOT TREATMENT

Sheep Handlers

Alloy light weight and long lasting. Height is adjustable to suit your best working position.

FEATURES:


- Fully adjustable to suit any size ewe, lamb or ram
- Sheep lie without struggling in a safe, secure position
- Adjustable work height = No bending for the operator
- Lightweight, easy to shift
- Full access around rear of animal
- Crutchings fall away from handler
- Feet can be easily inspected and trimmed
- Ideal to use in conjunction with Prattley yards or handling race



S03100 *- Standard Sheep Handler*

Entry Guide and Panels (Additional to Sheep Handler):

S03135 *- Entry Guide*
S25435 *- 4' x 36" Filled Panels (set of 2)*
S24500 *- Steel U Post 18"*
S03131 *- Lamb Insert/Floor*



Entry Guide



Panels and U Post

Foot Treatment Baths

Relocatable Foot Treatment Bath



FEATURES:

- Lightweight
- Portable
- Can be used in conjunction with Prattley Mobile Yard System
- Stone embedded fibre glass floor
- 8' to suit permanent races
- 33" fits in Prattley Handling Race

OPTIONS

FB5505 *- 44" wide x 8' long interlocking*
FB5506 *- 44" wide x 8' long tapered*
FB5504 *- 33" wide x 8' long section*

Mobile Foot Treatment Bath



S04500 - *Mobile Foot Treatment Bath*

FEATURES:

- Built in tanks to hold foot treatment liquid (Approx. 120L per tank)
- Robust fibre glass sides and bath, reinforced with plywood for strength
- Stone embedded fibre glass floor
- Lightweight for easy towing
- Galvanized chassis for long life
- Easily adjustable levelling stands

Sheep Conveyor 4.2m Trailer

FEATURES:

- Designed for large operations, contractors and stations to maximise throughput times and reduce labour costs
- Light weight galvanized trailer
- Non slip perforated alloy working platform on both sides
- Includes 9HP Honda hydraulic power pack, entry and exit ramps
- Variable speed and adjustable width to process both lambs and bigger ewes.
- Fits onto the end of any drench race
- Ideal for mouthing, vaccinating, drenching, capsuling, applying sheep dip

SPECIFICATIONS:

- Total length 9.2m
- Working Length 3.4m
- Towing Length 5.5m
- Width (at widest point) 1.9m
- Total weight 950kg



S05000 *- Sheep Conveyor 4.2m Trailer unit petrol hydraulic*

Comes with Power Pack
2.1LPM @ 3600RPM maximum
Pump pressure is set to 2000PSI



Sheep Conveyors

FEATURES:

- Lowers to operate flat to ground for easy stock flow
- Includes 6.5HP Honda hydraulic power pack
- Variable speed and adjustable width
- Cantilever wheel arms on 13” wheels
- Option of twin knee controls
- Light and Easily Transportable
- Conveyor belt: NVT-254 PVC Belt

OPTIONS

- Available in stationary or mobile
- Remote controlled 3-Way drafting exit ramp available
- 4.2 metre
- 5.2 metre



S05000MP *- Sheep Conveyor 4.2m c/w mobility unit petrol hydraulic*
S05300MP **-** *Sheep Conveyor 5.2m c/w mobility unit petrol hydraulic*

Pregnancy Scan Crate



Using ultrasound scanning technology to test for pregnancy in livestock not only tells you whether or not animals are pregnant, but also whether pregnant animals are carrying multiple foetuses (and if so, how many). Armed with this information you can make informed decisions such as:

How best to allocate your valuable feed resources.

- Which animals require special care and treatment (e.g. because they are carrying multiple foetuses).Whether any animals should be culled (e.g. in a drought year you may decide to sell animals carrying multiple foetuses if feed is severely depleted and not likely to improve in the near future).
- Which animals will fetch the best prices.
- if you can prove an animal is pregnant you can get a higher price for it at the yards.

The ability to make informed decisions like this will give you:

- Improved survival rates for multiple births.
- Improved returns from the sale of surplus livestock.
- Improved milk production and weaning weights.

FEATURES:

- Adjustable height
- Adjustable sides
- Entry and exit ramp included
- Hot dip galvanised steel platform with holes for grip treads to create a strong working platform that will last
- Frame hot dip galvanised, with uniboard sides.



S02800 *- Pregnancy Scan Crate*

Small Farm Handling Systems

Can be used in conjunction with Prattley Mobile Sheep Yard System anywhere on your farm

FEATURES:

- Use existing fence to extend pen areas
- Drafting, drenching, dagging, tailing
- Lightweight and portable, easy to store

Small Sheep Farm System #1 - 7' Gates
S20500 *- 7' x 36" alloy gate x 6*
S26300L *- 8' x 36" panel + release gate x 1*
S25700 *- 8' x 36" filled panel x 1*
S24500*- U Post galv 18" x 2*
S22400 *- Drop in gate 18" alloy x 2*
F21202 *- Alloy pin 670mm long x 4*


Small Sheep Farm System #2 - 5' Gates
S20200 *- 5' x 36" alloy gate x 5*
S25400 *- 4' x 36" filled panel x 1*
S22000 *- Lifestyle drafting gate x 1*
S22000*- U Post galv 18" x 2*
S22400 *- Drop in gate 18" alloy x 1*
F21202 *- Alloy pin 670mm long x 4*



MOBILE ALLOY CATTLE YARD

- Manufacturers and suppliers of strong Alloy Mobile Cattle Yards, produced from high tensile alloy.
- Mobile Cattle Yards are superior in quality and design, and market leading in value and performance.
- Cattle Yards are sold per component to allow for custom designed layouts to suit your requirements from small farms to large commercial operations.
- These relocatable cattle yard systems allow farmers to use natural land and stock flow, creating a less stressful working environment for livestock and operator.
- Designed and developed to handle cattle of all temperaments.
- Fully compatible with Prattley Managers, Head Bails and Weigh equipment.

Small Farm Cattle Yards



FEATURES:

- Alloy
- Strong
- Durable
- Unit packs flat, easy storage
- Quick and easy to assemble
- Available in steel construction
- Head bail/loading ramp can be added
- Components also sold individually to allow for customised layouts



Small Cattle Yard Farm System #1 - Headbail
C15000*- Std 2.7m Alloy Cattle Gate x 6*
C15200R *- Swinging race gate (right hand) x 1*
C04100 *- Headbail heavy duty x 1*
F21203*- Alloy pin 335mm SHORT x 4*

Small Cattle Yard Farm System #2 - Basic
C15000*- Std 2.7m Alloy Cattle Gate x 6*
C15300 *- Alloy sliding race gate x 1*
C15200R *- Swinging race gate (right hand) x 1*
F21203 *- Alloy pin 335mm short x 4*



MOBILE ALLOY CATTLE YARD

Gates



C15000 *- Standard Gate 2.7m*
c/w 2-Way coupling



C15100 *- Diamond Gate*
L/H or R/H available
Right hand shown

C16000 *- Drafting Gate*
L/H or R/H available
Left hand shown

Gates



C15200 *- Swinging Race Gate*
c/w spreader
L/H or R/H available



C15300 *- Sliding Race Gate*
c/w spreader

Spreader



C15400 *- Spreader 30”*

Spreader

C15500 *- Personnel Gate*
c/w spreader

Couplings



C15700
Alloy 2 Way Coupling

C15800
Alloy 3 Way Coupling

C16100
Alloy 4 Way Coupling

Cattle Managers

FEATURES:

- Scissor Headbail
- Strong galvanized steel construction
- Anti-backing ratchet system
- Non-slip perforated floor

OPTIONS

- V squeeze
- Vet gates
- Split gates
- 3-way draft handle
- Full side release gates
- Mobility systems
- Left or right side operation
- Stationary or mobile



Scissor Headbails

FEATURES:

- Galvanized steel construction
- Walk through exit
- Silent brake system



C04200R *- Headbail Scissor FreeStand (right hand)*
C04200L *- Headbail Scissor FreeStand (left hand)*

Safeway Headbails

FEATURES:

- Galvanized steel frame with marine grade ply panelling
- Slam lock latches
- Swing gate rope release
- Light duty or heavy duty options



C04100R *- Heavy Duty c/w Spreader (right hand)*
C04100L *- Heavy Duty c/w Spreader (left hand)*

Permanent Cattle AutoDrafter with Diverter Gates



FEATURES:

- Quiet pneumatic operation
- Bi-folding entry doors
- Headbail on exit
- Allows full control with hand held remote including headbail
- Built in loadbars
- Draft by weight, weight gain, tag database or sight
- Selective weight and drafting
- Selective bypass
- Weigh then HOLD to allow inspection before drafting
- Remote override if indicators draft range

SPECIFICATIONS

- Manual V squeeze
- Drop TOP and Bottom Inspection gates one side only
- Drafting gates at front
- Manual side release gate
- Personnel access gates
- Anti backing ratchet system



C00800 *- Permanent Cattle AutoDrafter with Diverter Gates*


Weighing Crate

FEATURES:

- Light weight alloy
- Non-slip perforated floor
- Operates from entry or exit gates

OPTIONS

- 1 or 2 sliding gate options available



Platform Dimensions



Weigh Crate with 2 sliding gates



Weigh Platform

C11100 *- Weigh Platform*
C11010 *- Weigh Crate with 1 sliding gate + 1 swinging gate*
C11020 *- Weigh Crate with 2 sliding gates*

Cattle Loading Ramps

FEATURES:

- Hot dip galvanized steel frame
- Cleats provide 'sure footing' for stock
- Stable and strong

OPTIONS

- Stationary or mobile
- 8" or 13" wheels
- Alloy collapsible ramp also available



C01170
Collapsible Alloy Ramp

C01000 *- 3.6m Mobile Deluxe Ramp 13" wheels*
C01120 *- 2.8m Mobile Standard Ramp 8" wheels*
C01130 *- 2.8m Mobile Standard Ramp 13" wheels*
C01110 *- 2.8m Stationary Standard*
C01170 *- Collapsible Alloy Ramp*



C01000
3.6m Mobile Deluxe Ramp 13" wheels



C01130
2.8m Mobile Standard Ramp 13" wheels

Calf Weigh Crates

FEATURES:

- Lightweight alloy frame
- Durable uniboard
- Portable
- Easy to operate
- Suitable for calves up to 115kg
- Compatible with most Loadbar systems



C11200 *- Calf Weigh Crate - no drafting*



C11400 *- Calf Weigh Crate 2 Way Draft*

- *Drafts to front and left*



C11350 *- Calf Weigh Crate 3 Way Draft*

- *Drafts to front, left or right*

** Indicator and Loadbars not included*

Weigh Crate Deer Autodrafter

FEATURES:

- Enables up to 3-way drafting
- Fast, accurate drafting and weight recording
- Quiet pneumatic operation
- Suitable for most deer sizes



D10000 *- Weigh Crate Deer Autodrafter*

Alpaca Gates

FEATURES:

- Lightweight alloy construction
- Sold individually to allow for custom yard sizes
- Ideal for shows
- Can clip on to floats / transporters
- Dependable and durable
- Easy to store

S20700 *- 7' x 48" Alloy Gate c/w 1 pin*



Prattley

ANIMAL MANAGEMENT SYSTEMS

Prattley Industries Ltd
2B King Street, Temuka, 7920, New Zealand
P O Box 109, Temuka, 7948, New Zealand

Phone: +64 3 615 9545
Fax: +64 3 615 9546
Toll Free: 0800 45 00 00 (NZ Only)

Email: prattley@prattley.co.nz
Website: www.prattley.co.nz

2019