Prattley
DATAMARS


Flat Deck Ute Crates

Custom built to suit your requirements











Prattley DATAMARS

Flat Deck Ute Crates

Checklist for Custom Built Wellside Crates

PLEASE NOTE: It is important that the measurements and specifications below are accurate.

	DATE	
LENGTH		
WIDTH		
HEIGHT (STD 900)		
SIDEBOARD HEIGHT		

CRATE OPTIONS		
FRONT END - WELD / BOLT / PIN		
REAR END - WELD / BOLT / PIN		

PARTITION DETAILS		
BOLTED OR PINNED		

FRONT TO BACK		
GATE AT **FRONT** END		
GATE AT **BACK** END		

SIDE TO SIDE		
GATE **RIGHT** HAND		
GATE **LEFT** HAND		

POSITION IN CRATE 1ST QUARTER/ 2ND QUARTER/3RD QUARTER		
To attach to how many positions		

REAR DOORS - SLIDING		
RIGHT HAND		
LEFT HAND		

REAR DOORS - SWING		
RIGHT HAND		
LEFT HAND		

SIDE DOORS - SWING		
RIGHT HAND		
LEFT HAND		

SIDE DOORS - SWING		
DOES IT GO OVER THE DROP SIDES		

SIDE DOORS - SLIDING		

RATCHETS (TO ATTACH TO:)		
ROPE RAIL ON TRUCK		
OR HOOKS (MEASURED FROM FRONT (CAB END) OF TRUCK		
MEASUREMENTS OF HOOKS		

CASTLE TOP - STD 100mm		
or non standard height		
BOLTED / WELDED		

SHOOTING HATCH		


OTHER REQUESTS		
SIDES ANGLED TO CAB SHAPE		


CONTACT NAME
FARMLANDS ACCOUNT NAME & NUMBER (if paying via Farmlands)
CONTACT PHONE
EMAIL ADDRESS


Flat Deck Ute Crates
Wellside Crate Template


All dimensions in millimetres














Notes: If in doubt ask!		
Scale NTS		Prattley DATAMARS
Date Drawn 02-05-01		
Drawn by S LOW	Approved DAVE	Date Approved 30-01-01
Dwg. No: FLAT DECK CRATE - TEMPLATE		